Screens » Desking Screens



Collection: Bilby



Screens » Desking Screens





Screens » Desking Screens







MERBAU - TIMBER PET



SPOTTED GUM -TIMBER PET









Screens » Desking Screens

Bilby Desking Screen Extension extends the height of an existing desking screen. It's ideal when you want to add extra privacy or noise absorption.

Description	Bilby panel topper is ideal for when you want to create extra privacy or noise absorption. The extra 12" height is available in 6 widths from 23.5" to 71.5", catering for narrow and wide desking alike. The sustainable PET is available in 24 colors and 4 wood prints so you can match the screen that's already there, or create a visual contrast func., Bilby Desking Screens are easily cleaned with bleach and water.
Made In	USA
Dimensions	• 23.5" (597mm) w x 12" (305mm) h x 3" (77mm) d
	• 35.5" (902mm) w x 12" (305mm) h x 3" (77mm) d
	• 41.5" (1055mm) w x 12" (305mm) h x 3" (77mm) d
	• 47.5" (1207mm) w x 12" (305mm) h x 3" (77mm) d
	• 59.5" (1512mm) w x 12" (305mm) h x 3" (77mm) d
	• 71.5" (1817mm) w x 12" (305mm) h x 3" (77mm) d
Powder Coat	White ONLY



Screens » Desking Screens

PET Colours Standard Finishes:

30 Solid Colors: Bark, Brick, Cadet, Chambray, Cobalt, Ecru, Elderberry, Fossil, Frost, Grass, Greige, Ivory, Linen, Malachite, Mandarin, Meadow, Midnight, Ochre, Olive, Parchment, Pebble, Pewter, Saffron, Sky, Slate, Smoke, Storm, Sunshine, Tar, Twilight.

4 Timber Prints: Eucalyptus, Iron bark, Merbau, Spotted Gum.

Premium Finishes:

12 Premium Wood Prints: Australian Walnut, Cherry, Claro Walnut, Euro Beech, Knotty Pine, Lace Wood, Maple, Palm Wood, Poplar, Redwood, Rustic Walnut, White Oak.

18 Premium Material Prints: Concrete Cast, Concrete Polished, Concrete Dark Tint, Raku Bone, Raku Luster, Raku Jade, Shale Light, Shale Medium, Shale Dark, Terracotta Sun Bleached, Terracotta Mission, Terracotta Antique, Terrazzo Light, Terrazzo Medium, Terrazzo Dark, Travertine Light, Travertine Medium, Travertine Dark.

Composition	Density 0.5 lb/ft² 2.4 kg /m²
Material	 60% post-consumer recycled PET bottles. 35% pre-consumer recycled content from PET chips 5% bio-based Polylactic Acid (PLA)
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification
Warranty	5-year warranty.
Lead Time	4 weeks
Assembly & Delivery	Flat pack delivery, minimal assembly required. See installation instructions for detail.



Screens » Desking Screens

How to Specify	Select 1 x PET Color
Care Instructions	Dab func. with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.
	For difficult stains, use a solution of household bleach (10% bleach / 90% water).
	To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.
	Always test in an inconspicuous area first and if you don't see the expected results, contact us.
Additional Comments	To see how vivid the colors truly are, it's easy to request a sample through the "Request information" button on this page, or you can ask for one from your local sales guru.
Inclusions	Add-on shell clamp brackets, PET panels

