Screens » Desking Screens




Collections: Murri

Applications: Desk Accessories (Dividers & Screens)




Screens » Desking Screens













Screens » Desking Screens







Screens » Desking Screens

Murri Desking Screen is a contemporary screen with noise and germ blocking acrylic side panels that's perfect for height adjustable desks and tables.

Description

Balances front on privacy with adjacent light, a contemporary desking screen with the addition of germ and noise blocking acrylic side panels.

Its modern design and use of shell clamps mean it works with almost any worksurface or height adjustable table. The 36" high screen is available in 7 widths from 47"-72", 24 PET colors and 4 wood prints.

func., Murri Desking Screens are easily cleaned with bleach and water.

Composition

Density 0.5 lb/ft² 2.4 kg /m²

PET Colours

Standard Finishes:

30 Solid Colors: Bark, Brick, Cadet, Chambray, Cobalt, Ecru, Elderberry, Fossil, Frost, Grass, Greige, Ivory, Linen, Malachite, Mandarin, Meadow, Midnight, Ochre, Olive, Parchment, Pebble, Pewter, Saffron, Sky, Slate, Smoke, Storm, Sunshine, Tar, Twilight.

4 Timber Prints: Eucalyptus, Iron bark, Merbau, Spotted Gum.

Premium Finishes:

12 Premium Wood Prints: Australian Walnut, Cherry, Claro Walnut, Euro Beech, Knotty Pine, Lace Wood, Maple, Palm Wood, Poplar, Redwood, Rustic Walnut, White Oak.

18 Premium Material Prints: Concrete Cast, Concrete Polished, Concrete Dark Tint, Raku Bone, Raku Luster, Raku Jade, Shale Light, Shale Medium, Shale Dark, Terracotta Sun Bleached, Terracotta Mission, Terracotta Antique, Terrazzo Light, Terrazzo Medium, Terrazzo Dark, Travertine Light, Travertine Medium, Travertine Dark.

Material

- 60% post-consumer recycled PET bottles.
- 35% pre-consumer recycled content from PET chips
- 5% bio-based Polylactic Acid (PLA)

Powder Coat

White ONLY



Screens » Desking Screens

Acrylic	ClearFrosted
Dimensions	 47" (1200mm) w x 36" (915mm) h x 24" (616mm) d 48" (1220mm) w x 36" (915mm) h x 24" (616mm) d 55" (1400mm) w x 36" (915mm) h x 24" (616mm) d 60" (1524mm) w x 36" (915mm) h x 24" (616mm) d
	 63" (1600mm) w x 36" (915mm) h x 24" (616mm) d 71" (1800mm) w x 36" (915mm) h x 24" (616mm) d 72" (1829mm) w x 36" (915mm) h x 24" (616mm) d
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification
Made In	USA
Lead Time	4 weeks
Inclusions	Desk Clamp Brackets, PET panels, Acrylic panels, Fixing Hardware
Assembly & Delivery	Flat pack delivery, minimal assembly required. See installation instructions for detail.



Screens » Desking Screens

Care Instructions

Dab func. with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.

For difficult stains, use a solution of household bleach (10% bleach / 90% water).

To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.

Always test in an inconspicuous area first and if you don't see the expected results, contact us.

Warranty

5-year warranty.

Additional Comments

To see how vivid the colors truly are, it's easy to request a sample through the "Request information" button on this page, or you can ask for one from your local sales guru.

How to Specify

- Select 1 x PET Color
- White Powder Coat Finish Only
- Select 1 x Wood Finish
- Refer Product Specification Guide



Screens » Desking Screens


Colour & Finish Options

func solid colors





Screens » Desking Screens




func premium material



Screens » Desking Screens



func timber print





Screens » Desking Screens

func acrylic





clear frosted