

ALINTA FLOOR SCREEN

Screens » Floor Screens



Collection: **Alinta**

ALINTA FLOOR SCREEN

Screens » Floor Screens



BARK - PET



BRICK - PET



CADET - PET



CHAMBRAY - PET



COBALT - PET



ECRU - PET



FOSSIL - PET



FROST - PET



GRASS - PET



GREIGE - PET



IVORY - PET



LINEN - PET



MALACHITE - PET



MANDARIN - PET



MIDNIGHT - PET



OCHRE - PET



OLIVE - PET



PEBBLE - PET



PEWTER - PET



SKY - PET



SLATE - PET



SMOKE - PET



SUNSHINE - PET



TAR - PET



EUCALYPTUS - TIMBER
PET

ALINTA FLOOR SCREEN

Screens » Floor Screens





MERBAU - TIMBER PET



IRONBARK - TIMBER
PET



SPOTTED GUM -
TIMBER PET



ALINTA FLOOR SCREEN

Screens » Floor Screens

Alinta Floor Screen is lightweight and easy to move. The horizontal spacing between the panels is designed to balance privacy, acoustics, and light.

- Absorbs Noise
- Bleach Cleanable
- Easy Install
- Acoustic
- Easy Clean

Description

The Alinta Floor Screen turns almost any open space into a workspace. It's V-fold gives a strong, angular aesthetic, while its lightweight construction makes it easy to move and create spaces wherever you need them. The design's horizontal spacing between the PET panels balances privacy, acoustics, and light.

This is highly configurable screen, comes in 61" and 72" heights and 48", 72" and 96" widths. All sizes come in 24 PET colors, 4 wood prints and the choice of blonde, dark, white, or black wood supports.

func., Alinta Floor Screens are easily cleaned with bleach and water.

Made In

USA

Dimensions

- 48" (1220mm) w x 61" (1550mm) h x 15" (377mm) d
- 48" (1220mm) w x 72" (1829mm) h x 15" (377mm) d
- 72" (1829mm) w x 61" (1550mm) h x 15" (377mm) d
- 72" (1829mm) w x 72" (1829mm) h x 15" (377mm) d
- 96" (2439mm) w x 61" (1550mm) h x 15" (377mm) d
- 96" (2439mm) w x 72" (1829mm) h x 15" (377mm) d

ALINTA FLOOR SCREEN

Screens » Floor Screens

PET Colours

Standard Finishes:

30 Solid Colors: Bark, Brick, Cadet, Chambray, Cobalt, Ecru, Elderberry, Fossil, Frost, Grass, Greige, Ivory, Linen, Malachite, Mandarin, Meadow, Midnight, Ochre, Olive, Parchment, Pebble, Pewter, Saffron, Sky, Slate, Smoke, Storm, Sunshine, Tar, Twilight.

4 Timber Prints: Eucalyptus, Iron bark, Merbau, Spotted Gum.

Premium Finishes:

12 Premium Wood Prints: Australian Walnut, Cherry, Claro Walnut, Euro Beech, Knotty Pine, Lace Wood, Maple, Palm Wood, Poplar, Redwood, Rustic Walnut, White Oak.

18 Premium Material Prints: Concrete Cast, Concrete Polished, Concrete Dark Tint, Raku Bone, Raku Luster, Raku Jade, Shale Light, Shale Medium, Shale Dark, Terracotta Sun Bleached, Terracotta Mission, Terracotta Antique, Terrazzo Light, Terrazzo Medium, Terrazzo Dark, Travertine Light, Travertine Medium, Travertine Dark.

Wood

- Blonde
 - Dark
 - White
 - Black
-

Composition

Density 0.5 lb/ft² 2.4 kg /m²

Material

- 60% post-consumer recycled PET bottles.
 - 35% pre-consumer recycled content from PET chips
 - 5% bio-based Polylactic Acid (PLA)
-

Fire Rating

ASTM-E84 – Class A classification
AS ISO 9705 – 2003 – Group 1 classification
EN-13501 – B-s2-d0 classification

Warranty

5-year warranty.

ALINTA FLOOR SCREEN

Screens » Floor Screens

Lead Time 4 weeks

Assembly & Delivery Flat pack delivery, minimal assembly required.
See installation instructions for detail.

How to Specify

- Select 1 x PET Color
- Select 1 x Wood Finish
- Refer Product Specification Guide

Care Instructions

Dab func. with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.

For difficult stains, use a solution of household bleach (10% bleach / 90% water).

To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.

Always test in an inconspicuous area first and if you don't see the expected results, contact us.

Additional Comments

To see how vivid the colors truly are, it's easy to request a sample through the "Request information" button on this page, or you can ask for one from your local sales guru.

Inclusions Wood Supports, PET Panels
