
Screens » Floor Screens



Collection: Kaya



Screens » Floor Screens





Screens » Floor Screens







SPOTTED GUM -TIMBER PET



Screens » Floor Screens



Kaya Freestanding Screen's versatile designs make it ideal for multi-purpose spaces that need a little help with privacy and noise reduction.

Easy Clean

Easy Install

Description

The Kaya Freestanding Screen's lightweight construction and sturdy feet, make it ideal for multi-purpose spaces.

The Grille, Lattice or Plain designs, plus the option of acrylic for increased privacy, or a writeable surface to foster those creative moments. Available in 24 PET colors or 4 wood prints, it's a configurable option that suits almost any workspace.

Manufactured in the USA, the Kaya Freestanding Screen ships quickly, comes flat packed and is simple to assemble.

func., Kaya Freestanding Screens are easily cleaned with bleach and water.

Made In	USA
Dimensions	45.8" (1163mm) w x 72" (1829mm) h x 21" (518mm) d



Absorbs Noise

Screens » Floor Screens

Powder Coat	White ONLY
PET Colours	 24 Colors – Bark, Brick, Cadet, Chambray, Cobalt, Ecru, Fossil, Frost, Grass, Greige, Ivory, Linen, Malachite, Mandarin, Midnight, Ochre, Olive, Pebble, Pewter, Sky, Slate, Smoke, Sunshine, Tar. 4 Timber Prints – Eucalyptus, Iron bark, Merbau, Spotted Gum.
Material	 60% post-consumer recycled PET bottles. 35% pre-consumer recycled content from PET chips 5% bio-based Polylactic Acid (PLA)
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification
Warranty	5-year warranty.
Lead Time	4 weeks
Assembly & Delivery	Flat pack delivery, minimal assembly required. See installation instructions for detail.



Screens » Floor Screens

How to Specify

- Select 1 x PET Color
- Powder Coat Finish WHITE ONLY
- 1. Select Design
- Grille
- Lattice
- Plain Design
- 2. Select Acrylic if Option selected
- Clear
- Frosted
- 3. Select Writeable Surface if option selected
- Refer to Product Specification Guide

Care Instructions

Dab func. with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.

For difficult stains, use a solution of household bleach (10% bleach / 90% water).

To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.

Always test in an inconspicuous area first and if you don't see the expected results, contact us.

Additional Comments

To see how vivid the colors truly are, it's easy to request a sample through the "Request information" button on this page, or you can ask for one from your local sales guru.

Inclusions

PET panel, Metal frame, Hardware

