
Screens » Floor Screens



Collection: Kaya



Screens » Floor Screens





Screens » Floor Screens



IRONBARK - TIMBER PET



MERBAU - TIMBER PET



SPOTTED GUM -TIMBER PET

Screens » Floor Screens



Kaya Bridge Screen's cut out design and adjustable foot leveller gives visual and acoustic privacy that extends beyond the work surface.

Absorbs Noise
 Easy Install
 Easy Clean
 Acoustic

Description

The Kaya Bridge Screen's lightweight moveable construction, with an adjustable foot leveller that can be adapted to different work surfaces for improved privacy and noise reduction.

The Grille, Lattice or Plain designs come with the option of acrylic for increased privacy, or a writeable surface to foster those creative moments. Available in 24 PET colors or 4 wood prints, it can be configured to suit almost any workspace.

Manufactured in the USA, the Kaya Bridge Screen ships quickly, comes flat packed and is simple to assemble.

func., Kaya Bridge Screens are easily cleaned with bleach and water.

Made In USA

Dimensions 46.5" (1182mm) w x 72" (1829mm) h x 21" (518mm) d



Screens » Floor Screens

Powder Coat	White ONLY
PET Colours	 24 Colors – Bark, Brick, Cadet, Chambray, Cobalt, Ecru, Fossil, Frost, Grass, Greige, Ivory, Linen, Malachite, Mandarin, Midnight, Ochre, Olive, Pebble, Pewter, Sky, Slate, Smoke, Sunshine, Tar. 4 Timber Prints – Eucalyptus, Iron bark, Merbau, Spotted Gum.
Composition	Density 0.5 lb/ft² 2.4 kg /m²
Material	 60% post-consumer recycled PET bottles. 35% pre-consumer recycled content from PET chips 5% bio-based Polylactic Acid (PLA)
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification
Warranty	5-year warranty.
Lead Time	4 weeks
Assembly & Delivery	Flat pack delivery, minimal assembly required. See installation instructions for detail.



Screens » Floor Screens

How to Specify

- Select 1 x PET Color
- Powder Coat Finish WHITE ONLY
- 1. Select Design
- Grille
- Lattice
- Plain Design
- 2. Select Acrylic if Option selected
- Clear
- Frosted
- 3. Select Writeable Surface if option selected
- Refer to Product Specification Guide

Care Instructions

Dab func. with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.

For difficult stains, use a solution of household bleach (10% bleach / 90% water).

To remove the bleach, repeat using a clean, water dampened cloth, then pat drv.

Always test in an inconspicuous area first and if you don't see the expected results, contact us.

Additional Comments

To see how vivid the colors truly are, it's easy to request a sample through the "Request information" button on this page, or you can ask for one from your local sales guru.

Inclusions

PET panel, Metal frame, Desk Shell Clamp, Hardware

