Screens » Suspended Screens



Collections: Bunji

Applications: Screens & Partitions



Screens » Suspended Screens






Bunji Rotating Screen Premium Wood Redwood





Bunji Closed











Screens » Suspended Screens

Bunji Rotating Screen is a contemporary suspended screen with louvers that easily open and close when you need to adjust privacy, light and sound.

Absorbs Noise	🗸 Easy Install	🗸 Easy Clean
✓ Bleach Cleanable	✓ Acoustic	
Description	The Bunji Rotating Screen is a contemporary suspended screen with sustainable PET louvers that open and close.	
	The 101" height with variable widths, and adjustable ceiling mount, make it work in spaces up to 13 ft high and 8 ft wide, while it's modern design offers an engaging and more flexible alternative to traditional walls. Available in 24 PET colors and 4 wood prints, this is an excellent option when you're after semi-permanent, acoustically minded space division or room creation.	
	Manufactured in the USA, the Bunji Rotating Screen ships quickly, comes flat packed, and is simple to assemble.	
	func., Bunji Rotating Screens a	re easily cleaned with bleach and water.
Composition	Density 0.5 lb/ft² 2.4 kg /m²	
PET Colours	Standard Finishes:	
	Frost, Grass, Greige, Ivory, Line	det, Chambray, Cobalt, Ecru, Elderberry, Fossil n, Malachite, Mandarin, Meadow, Midnight, Ie, Pewter, Saffron, Sky, Slate, Smoke, Storm,
	4 Timber Prints: Eucalyptus, Ir	on bark, Merbau, Spotted Gum.
	Premium Finishes:	
		ralian Walnut, Cherry, Claro Walnut, Euro I, Maple, Palm Wood, Poplar, Redwood, Rustic
	18 Premium Material Prints: Concrete Cast, Concrete Polished, Concrete Dark Tint, Raku Bone, Raku Luster, Raku Jade, Shale Light, Shale Medium, Shale Dark, Terracotta Sun Bleached, Terracotta Mission, Terracotta Antique, Terrazzo Light, Terrazzo Medium, Terrazzo Dark, Travertine Light, Travertine Medium, Travertine Dark.	



Material	 60% post-consumer recycled PET bottles. 35% pre-consumer recycled content from PET chips 5% bio-based Polylactic Acid (PLA) 	
Powder Coat	Black and White ONLY	
Dimensions	 48" (1220mm) w x 101" (2566mm) h x 10" (235mm) d 96" (2439mm) w x 101" (2566mm) h x 10" (235mm) d 	
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification	
Made In	USA	
Lead Time	4 weeks	
Inclusions	PET Blades, Cable System, Hardware	
Assembly & Delivery	Flat pack delivery, minimal assembly required. See installation instructions for detail.	
Care Instructions	 Dab func. with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth. For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry. Always test in an inconspicuous area first and if you don't see the expected results, contact us. 	



Warranty	5-year warranty.	
Additional Comments	To see how vivid the colors truly are, it's easy to request a sample through the "Request information" button on this page, or you can ask for one from your local sales guru.	
How to Specify	 Select 1 x PET Color Black or White Powder Coat ONLY 	

Screens » Suspended Screens


Colour & Finish Options

func solid colors






Screens » Suspended Screens




FUNC

Screens » Suspended Screens



func premium wood



FUNC

Screens » Suspended Screens

func powdercoat



