Screens » Suspended Screens



Collection: Kaya




Screens » Suspended Screens





Screens » Suspended Screens



Screens » Suspended Screens

Absorbs Noise

Powder Coat

Kaya Fixed Screen's uses simple, adjustable top and bottom mounts to fix it to perfectly flat or uneven floors and ceilings.

Easy Install

	7
Bleach Cleanable	• Acoustic
Description	The Kaya Fixed Screen's lightweight construction uses simple top and bottom mounts to create a sturdy partition.
	The Grille, Lattice or Plain designs come with the option of acrylic for increased privacy, or a writeable surface to foster those creative moments.
	func., Kaya Fixed Screens are easily cleaned with bleach and water.
Made In	USA
Dimensions	45.8" (1163mm) w x 108" (2744mm) h x 2" (48mm) d

PET Colours Standard Finishes:

30 Solid Colors: Bark, Brick, Cadet, Chambray, Cobalt, Ecru, Elderberry, Fossil, Frost, Grass, Greige, Ivory, Linen, Malachite, Mandarin, Meadow, Midnight, Ochre, Olive, Parchment, Pebble, Pewter, Saffron, Sky, Slate, Smoke, Storm, Sunshine, Tar, Twilight.

Easy Clean

4 Timber Prints: Eucalyptus, Iron bark, Merbau, Spotted Gum.

Premium Finishes:

White ONLY

12 Premium Wood Prints: Australian Walnut, Cherry, Claro Walnut, Euro Beech, Knotty Pine, Lace Wood, Maple, Palm Wood, Poplar, Redwood, Rustic Walnut, White Oak.

18 Premium Material Prints: Concrete Cast, Concrete Polished, Concrete Dark Tint, Raku Bone, Raku Luster, Raku Jade, Shale Light, Shale Medium, Shale Dark, Terracotta Sun Bleached, Terracotta Mission, Terracotta Antique, Terrazzo Light, Terrazzo Medium, Terrazzo Dark, Travertine Light, Travertine Medium, Travertine Dark.

Composition Density 0.5 lb/ft² 2.4 kg /m²



Screens » Suspended Screens

Material	 60% post-consumer recycled PET bottles.
	• 35% pre-consumer recycled content from PET chips
	5% bio-based Polylactic Acid (PLA)
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification
Warranty	5-year warranty.
Lead Time	4 weeks
Assembly & Delivery	Flat pack delivery, minimal assembly required.
	See installation instructions for detail.
How to Specify	Select 1 x PET Color
	Powder Coat Finish WHITE ONLY
	1. Select Design
	• Grille



Lattice

Clear

Frosted

• Plain Design

2. Select Acrylic - if Option selected

3. Select Writeable Surface - if option selected

• Refer to Product Specification Guide

Screens » Suspended Screens

Care Instructions	Dab func. with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.
	For difficult stains, use a solution of household bleach (10% bleach / 90% water).
	To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.
	Always test in an inconspicuous area first and if you don't see the expected results, contact us.
Additional Comments	To see how vivid the colors truly are, it's easy to request a sample through the "Request information" button on this page, or you can ask for one from your local sales guru.
Inclusions	PET panel, Metal frame, Hardware

