

Screens » Suspended Screens




Collections: Kaya

Applications: Screens & Partitions






























Screens » Suspended Screens

Kaya Sliding Screen hangs on horizontal mounting tracks attached to the ceiling. It means smooth, easy movement and excellent space creation.

✓ Absorbs Noise	🗸 Easy Install	🗸 Easy Clean	
✓ Bleach Cleanable	✓ Acoustic		
Description	The Kaya Sliding Screen hangs on horizontal mounting tracks for smooth, easy movement.		
	The Grille, Lattice or Plain designs are complemented with optional acrylic for privacy or a writeable surface for those creative moments. Available in 24 PET colors or 4 wood prints, the option of adding multiple screens makes it's ideal for expandable acoustic management in small or large spaces.		
	func., Kaya Sliding Screens are easily cleaned with bleach and water.		
Composition	Density 0.5 lb/ft² 2.4 kg /m²		
PET Colours	Standard Finishes:		
	30 Solid Colors: Bark, Brick, Cadet, Chambray, Cobalt, Ecru, Elderberry, Fossil, Frost, Grass, Greige, Ivory, Linen, Malachite, Mandarin, Meadow, Midnight, Ochre, Olive, Parchment, Pebble, Pewter, Saffron, Sky, Slate, Smoke, Storm, Sunshine, Tar, Twilight.		
	4 Timber Prints: Eucalyptus, Iron bark, Merbau, Spotted Gum.		
	Premium Finishes:		
	12 Premium Wood Prints: A ustralian Walnut, Cherry, Claro Walnut, Euro Beech, Knotty Pine, Lace Wood, Maple, Palm Wood, Poplar, Redwood, Rustic Walnut, White Oak.		
	18 Premium Material Prints: Concrete Cast, Concrete Polished, Concrete Dark Tint, Raku Bone, Raku Luster, Raku Jade, Shale Light, Shale Medium, Shale Dark, Terracotta Sun Bleached, Terracotta Mission, Terracotta Antique, Terrazzo Light, Terrazzo Medium, Terrazzo Dark, Travertine Light, Travertine Medium, Travertine Dark.		



Screens » Suspended Screens

Material	• 60% post-consumer recycled PET bottles.	
	 35% pre-consumer recycled content from PET chips 	
	 5% bio-based Polylactic Acid (PLA) 	
Dimensions	47.5" (1207mm) w x 108" (2744mm) h x 3" (55mm) d	
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification	
Made In	USA	
Lead Time	4 weeks	
Inclusions	PET panel with roller hardware fitted.	
Assembly & Delivery	Flat pack delivery, minimal assembly required. See installation instructions for detail.	
Care Instructions	Dab func. with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.	
	For difficult stains, use a solution of household bleach (10% bleach / 90% water).	
	To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.	
	Always test in an inconspicuous area first and if you don't see the expected results, contact us.	
Warranty	5-year warranty.	

FUNC.

Additional Comments	To see how vivid the colors truly are, it's easy to request a sample through the "Request information" button on this page, or you can ask for one from your local sales guru.
How to Specify	 Select 1 x PET Color Powder Coat Finish WHITE ONLY
	1. Select Design
	• Grille
	• Lattice
	• Plain Design
	2. Select Acrylic - if Option selected
	• Clear
	• Frosted
	3. Select Writeable Surface - if option selected
	Refer to Product Specification Guide



Screens » Suspended Screens


Colour & Finish Options

func solid colors





Screens » Suspended Screens




FUNC

Screens » Suspended Screens



func premium wood

bleached



FUNC

Screens » Suspended Screens

func acrylic





clear

frosted

