
Walls » Fixed Walls



Collection: Cooee










Walls » Fixed Walls



Pack of 8 Square Wall Tiles designed to silence noise and jazz up style - square up your serenity game. Your space, your rules.

Absorbs Noise	Acoustic	Bleach Cleanable

● Easy Clean • Easy Install

Description

Designed with functionality at the forefront, these wall tiles are designed to create acoustically well-balanced spaces that truly make a difference.

Perfect for a diverse range of environments, including workplaces, classrooms, meeting and conference rooms, waiting rooms, breakout areas, co-working spaces, and directional workplaces. These decorative modular square wall tiles not only absorb sound but also offer the flexibility to accessorize, giving you the freedom to personalize your space.

Whether installed individually or grouped together, our functional acoustic wall tiles deliver exceptional sound absorption, transforming your space into a haven of tranquility.

Say farewell to unwanted noise and say hello to a serenity with Cooee Square Wall Tiles. It's time to create a space that's both visually appealing and acoustically balanced.

Pack of 8



Made In	USA
Dimensions	Square - Pack of 8
	23.8" (603mm) w x 23.8" (603mm) h x 1" (25mm) d
	Circular - Pack of 8
	23.8" (603mm) w x 23.8" (603mm) h x 1" (25mm) d
	Rectangular - Pack of 4
	47.5" (1207mm) w x 23.8" (603mm) h x 1" (25mm) d
Powder Coat	Anodized Silver, Bengal White, Denim, Fern, Gunmetal, LT Grey, Marigold, Matte Black, Spice, Tango, Teal, Terracotta
PET Colours	24 Colors – Ash, Bark, Brick, Cadet, Chambray, Cobalt, Ecru, Fossil, Frost, Grass, Greige, Ivory, Linen, Malachite, Mandarin, Midnight, Ochre, Olive, Pebble, Pewter, Sky, Smoke, Sunshine, Tar.
	4 Timber Prints - Eucalyptus, Iron bark, Merbau, Spotted Gum.
Composition	Density 0.5 lb/ft² 2.4 kg /m²
Material	• 60% post-consumer recycled PET bottles.
	• 35% pre-consumer recycled content from PET chips
	• 5% bio-based Polylactic Acid (PLA)
	Accessories: Steel + PET insert/liner with powder coat finish
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification
Warranty	5-year warranty.
Lead Time	6-8 weeks



Assembly & Delivery	Flat pack delivery, minimal assembly required. See installation instructions for detail.
How to Specify	1. Select your PET Color 2. Select your Shape 3. Select your quantity
Care Instructions	Dab func. with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth. For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.
	Always test in an inconspicuous area first and if you don't see the expected results, contact us.
Additional Comments	To see how vivid the colors truly are, it's easy to request a sample through the "Request information" button on this page, or you can ask for one from your local sales guru
Inclusions	Square - Pack of 8 23.8" (603mm) w x 23.8" (603mm) h x 1" (25mm) d

