Walls » Mobile Walls



Collection: Cooee



Walls » Mobile Walls





Walls » Mobile Walls



IRONBARK - TIMBER
PET



MERBAU - TIMBER PET



SPOTTED GUM -TIMBER PET



ANODISED SILVER -POWDER COAT



BENGAL WHITE -POWDER COAT



FERN - POWDER COAT



LT GREY - POWDER COAT



MATTE BLACK POWDER COAT



SPICE - POWDER COAT



TANGO - POWDER COAT



TEAL - POWDER COAT



TERRACOTTA POWDER COAT



Cooee Three Quarter Monitor Wall Twilight



Cooee Three Quarter Monitor Wall Front View



Cooee Three Quarter Monitor Wall Rear View



Cooee Three Quarter Monitor Wall Front View Detail



Cooee Three Quarter Monitor Wall Top View Detail



Walls » Mobile Walls

Step into the future of mobile collaboration with a touch of sass and a whole lot of functionality—the Cooee Three Quarter Monitor Wall.

Absorbs NoiseBleach Cleanable	Easy Install Easy Clean	
	• Acoustic	
Description	Introducing your versatile new mobile video conferencing oasis—the Cooee Three Quarter Monitor Wall. Perfect for those seated viewing sessions where comfort meets productivity.	
	Just like its full-sized counterpart, powered up and ready to roll with 110V, USB-A, and USB-C power units, it's the ultimate wingman for your tech needs. Setting up is a breeze—just plug in, pop on your camera, and mount a monitor up to 50 inches for an epic display.	
	But what sets this apart is its thoughtful design for seated viewing. Whether you're gathered around a conference table or nestled in your favorite ergonomic chair, the Cooee Three Quarter Monitor Wall ensures everyone has a clear view and optimal comfort. And let's not forget about acoustics. With its sound-absorbing material and acoustic membrane, ambient noise is a thing of the past. Enjoy crystal-clear audio and focused conversations, even in the busiest of environments.	
	So, whether you're hosting a remote brainstorming session or catching up with colleagues from afar, the Cooee Three Quarter Monitor Wall is your goto solution for immersive and productive video conferencing experiences. Welcome to the future of mobile collaboration.	
Made In	USA	
Dimensions	47.6" (1207mm) w x 55.5" (1410mm) h x 4" (102mm) d	



Powder Coat

Matte Black, Spice, Tango, Teal, Terracotta

Anodized Silver, Bengal White, Denim, Fern, Gunmetal, LT Grey, Marigold,

Walls » Mobile Walls

PET Colours Standard Finishes:

30 Solid Colors: Bark, Brick, Cadet, Chambray, Cobalt, Ecru, Elderberry, Fossil, Frost, Grass, Greige, Ivory, Linen, Malachite, Mandarin, Meadow, Midnight, Ochre, Olive, Parchment, Pebble, Pewter, Saffron, Sky, Slate, Smoke, Storm, Sunshine, Tar, Twilight.

4 Timber Prints: Eucalyptus, Iron bark, Merbau, Spotted Gum.

Premium Finishes:

12 Premium Wood Prints: Australian Walnut, Cherry, Claro Walnut, Euro Beech, Knotty Pine, Lace Wood, Maple, Palm Wood, Poplar, Redwood, Rustic Walnut, White Oak.

18 Premium Material Prints: Concrete Cast, Concrete Polished, Concrete Dark Tint, Raku Bone, Raku Luster, Raku Jade, Shale Light, Shale Medium, Shale Dark, Terracotta Sun Bleached, Terracotta Mission, Terracotta Antique, Terrazzo Light, Terrazzo Medium, Terrazzo Dark, Travertine Light, Travertine Medium, Travertine Dark.

Composition	Density 0.5 lb/ft² 2.4 kg /m²
Material	 60% post-consumer recycled PET bottles. 35% pre-consumer recycled content from PET chips 5% bio-based Polylactic Acid (PLA) Accessories: Steel + PET insert/liner with powder coat finish
Sustainability	func. PET panels are made from 100% recyclable materials.
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification
Warranty	5-year warranty.
Lead Time	6-8 weeks



Walls » Mobile Walls

Assembly & Delivery	Flat pack delivery, minimal assembly required.
	See installation instructions for detail.
How to Specify	Select 1 x PET Color
	Select 1 x Powder Coat Finish
	Refer Product Specification Guide
Care Instructions	Dab func. with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.
	For difficult stains, use a solution of household bleach (10% bleach / 90% water).
	To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.
	Always test in an inconspicuous area first and if you don't see the expected results, contact us.
Additional Comments	To see how vivid the colors truly are, it's easy to request a sample through the "Request information" button on this page, or you can ask for one from your local sales guru
Inclusions	Mobile wall with 1 power unit (110V + USB-A and USB-C)

