

INALA BENCHING SCREEN

Screens » Benching Screens



Collection: **Inala**

INALA BENCHING SCREEN

Screens » Benching Screens



BARK - PET



BRICK - PET



CADET - PET




CHAMBRAY - PET




COBALT - PET




ECRU - PET



FOSSIL - PET



FROST - PET



GRASS - PET




GREIGE - PET




IVORY - PET



LINEN - PET




MALACHITE - PET




MANDARIN - PET



MIDNIGHT - PET




OCHRE - PET



OLIVE - PET




PEBBLE - PET



PEWTER - PET




SKY - PET




SLATE - PET




SMOKE - PET



SUNSHINE - PET




TAR - PET




EUCALYPTUS - TIMBER
PET

INALA BENCHING SCREEN


Screens » Benching Screens




IRONBARK - TIMBER
PET




MERBAU - TIMBER PET



SPOTTED GUM -
TIMBER PET




ANODISED SILVER -
POWDER COAT



BENGAL WHITE -
POWDER COAT



FERN - POWDER COAT



LT GREY - POWDER
COAT



MATTE BLACK -
POWDER COAT



SPICE - POWDER COAT



TANGO - POWDER
COAT



TEAL - POWDER COAT



TERRACOTTA -
POWDER COAT



Inala Benching
Screen Twilight



Inala Benching
Screen Spigot Install



Inala Benching
Screen Spigot
Installed Detail



Inala Benching
Screen Spigot 2



Inala Benching
Screen Spigot 3



Inala Benching
Screen Spigot 4

INALA BENCHING SCREEN

Screens » Benching Screens

Ready to carve out your own slice of peace and quiet? Transform tables into private workspaces with Inala Benching Screen. Available in various sizes and finishes.

- Acoustic
- Absorbs Noise
- Bleach Cleanable
- Easy Clean
- Easy Install

Description

Create your own place of peace and quiet with the Inala Benching Screen. Designed to transform existing tables and benches into private, focused workspaces, the Inala Benching Screen brings tranquility and efficiency to any office environment.

Transform any table or bench into a sleek, private workspace where you can actually get stuff done.

Say goodbye to chaos and hello to calm with the Inala Benching Screen. This modern marvel comes in 9 widths and 2 heights, so it's got your back no matter what size your table is. Made from high quality 1/2" PET, it's sturdy enough to handle whatever you throw its way—and it looks good doing it. Choose from one of our 64 func.y finishes to make it uniquely yours.

Choose from one of our 12 powder coat finishes for the spigot base, which can be screwed in for a rock-solid setup or just placed on top if you're commitment-phobic. Feeling fancy? Opt for one of our premium finishes to add a dash of sophistication.

Perfect for open offices, educational institutions, or study areas, the Inala Benching Screen ensures everyone gets their own quiet zone—a little piece of zen in the hustle and bustle of office life. Easy to install and maintain, it's designed for maximum convenience and longevity.

With the Inala Benching Screen, work smarter, not harder, and look good while doing it. Plus, enjoy peace of mind with our quality assurance and warranty.

Made In

USA

INALA BENCHING SCREEN

Screens » Benching Screens

Dimensions

15.8" Height

- 24" (610mm) w x 15.8" (400.05mm) h x 0.5" (13mm) D
- 36" (914mm) w x 15.8" (400.05mm) h x 0.5" (13mm) D
- 47.2" (1200mm) w x 15.8" (400.05mm) h x 0.5" (13mm) D
- 48" (1219mm) w x 15.8" (400.05mm) h x 0.5" (13mm) D
- 55.1" (1400mm) w x 15.8" (400.05mm) h x 0.5" (13mm) D
- 60" (1524mm) w x 15.8" (400.05mm) h x 0.5" (13mm) D
- 63" (1598mm) w x 15.8" (400.05mm) h x 0.5" (13mm) D
- 70.9" (1800mm) w x 15.8" (400.05mm) h x 0.5" (13mm) D
- 72" (1829mm) w x 15.8" (400.05mm) h x 0.5" (13mm) D

23.8" Height

- 24" (610mm) w x 23.8" (603.25mm) h x 0.5" (13mm) D
- 36" (914mm) w x 23.8" (603.25mm) h x 0.5" (13mm) D
- 47.2" (1200mm) w x 23.8" (603.25mm) h x 0.5" (13mm) D
- 48" (1219mm) w x 23.8" (603.25mm) h x 0.5" (13mm) D
- 55.1" (1400mm) w x 23.8" (603.25mm) h x 0.5" (13mm) D
- 60" (1524mm) w x 23.8" (603.25mm) h x 0.5" (13mm) D
- 63" (1598mm) w x 23.8" (603.25mm) h x 0.5" (13mm) D
- 70.9" (1800mm) w x 23.8" (603.25mm) h x 0.5" (13mm) D
- 72" (1829mm) w x 23.8" (603.25mm) h x 0.5" (13mm) D

Powder Coat

Anodized Silver, Bengal White, Denim, Fern, Gunmetal, LT Grey, Marigold, Matte Black, Spice, Tango, Teal, Terracotta

INALA BENCHING SCREEN

Screens » Benching Screens

PET Colours

Standard Finishes:

30 Solid Colors: Bark, Brick, Cadet, Chambray, Cobalt, Ecru, Elderberry, Fossil, Frost, Grass, Greige, Ivory, Linen, Malachite, Mandarin, Meadow, Midnight, Ochre, Olive, Parchment, Pebble, Pewter, Saffron, Sky, Slate, Smoke, Storm, Sunshine, Tar, Twilight.

4 Timber Prints: Eucalyptus, Iron bark, Merbau, Spotted Gum.

Premium Finishes:

12 Premium Wood Prints: Australian Walnut, Cherry, Claro Walnut, Euro Beech, Knotty Pine, Lace Wood, Maple, Palm Wood, Poplar, Redwood, Rustic Walnut, White Oak.

18 Premium Material Prints: Concrete Cast, Concrete Polished, Concrete Dark Tint, Raku Bone, Raku Luster, Raku Jade, Shale Light, Shale Medium, Shale Dark, Terracotta Sun Bleached, Terracotta Mission, Terracotta Antique, Terrazzo Light, Terrazzo Medium, Terrazzo Dark, Travertine Light, Travertine Medium, Travertine Dark.

Composition

Density 0.5 lb/ft² 2.4 kg /m²

Sustainability

func. PET panels are made from 100% recyclable materials.

- 60% post-consumer recycled PET bottles.
 - 35% pre-consumer recycled content from PET chips
 - 5% bio-based Polylactic Acid (PLA)
 - Accessories: Steel + PET insert/liner with powder coat finish
-

Fire Rating

ASTM-E84 – Class A classification
AS ISO 9705 – 2003 – Group 1 classification
EN-13501 – B-s2-d0 classification

Warranty

5-year warranty.

Lead Time

4-6 weeks

INALA BENCHING SCREEN

Screens » Benching Screens

Assembly & Delivery Flat pack delivery, minimal assembly required.
See installation instructions for detail.

Suggested Installation Go to Technical Documents and download the Installation Guide for more details.

How to Specify

1. Select Size
2. Select PET Color
3. Select Powder Coat Finish for Spigot Base

Care Instructions

Dab func. with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.

For difficult stains, use a solution of household bleach (10% bleach / 90% water).

To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.

Always test in an inconspicuous area first and if you don't see the expected results, contact us.

Additional Comments To see how vivid the colors truly are, it's easy to request a sample through the "Request information" button on this page, or you can ask for one from your local sales guru

Inclusions Hardware to suit size selected
